



1 Nancevallon, Higher Brea, Camborne, TR14

9DE Clerk to the Council, Mrs Karen

Harding

clerk@kenwynparishcouncil.gov.uk

Telephone 01209 610250/ 0800

2346077

TENDER OPPORTUNITY – OCTOBER 2024

Kenwyn Parish Council is seeking quotes for fence replacement at Shortlanesend Playing Field, School Hill, Shortlanesend, Truro, TR4 9DU

Specification on next page

Closing date –12 noon on 30th November 2024

Email quotes to – clerk@kenwynparishcouncil.gov.uk

Project Details : New fence

Site Conditions : Overgrowth of vegetation, bottom of slope

Element			
	Qty	Unit	Rate
Fence			
<p><u>DEMOLITION/ALTERATION/RENOVATION</u> <u>C90: ALTERATIONS - SPOT ITEMS</u> <u>Various locations on site</u> Removing finishings; dispose off site</p>			
A Removal of existing chain link fence; 1800 high	170	m	
<p><u>GROUNDWORK</u> <u>D20: EXCAVATING AND FILLING</u> <u>Site preparation</u> Clearing site vegetation; filling voids left by removal of roots with selected material arising from excavation</p>			
B bushes, scrub, undergrowth, hedges, trees and tree stumps not exceeding 600 girth	170	m2	
<p><u>PAVING/PLANTING/FENCING/SITE FURNITURE</u> <u>Q40: FENCING</u> <u>Fencing; profile (V) mesh panels; B.S 1722 Part 10; metal posts; galvanised mesh, line and tying wires; galvanised steel fittings and accessories; backfilling around posts in concrete mix C30</u> 1800 high fencing (2500 overall height)</p>			
C posts at 2 centres; 700 into ground; in lengths not exceeding 3m	170	m	
<p><u>NOTE:</u> Contractor is to visit site to confirm extent of existing vegetation and overgrowth that requires removing. New fencing to be in the same location as existing.</p>			

